

Parma, 26 June 2008

**DRAFT
agenda
31st PLENARY MEETING of the
SCIENTIFIC PANEL ON FOOD ADDITIVES, FLAVOURINGS,
PROCESSING AIDS AND MATERIALS IN CONTACT WITH FOOD**

Meeting date: 8 – 9 July 2008

Venue: EFSA, Parma. Entrance via: Viale Mentana 99A-101A

Draft Agenda

- | # | Items | |
|------|--|---|
| 1. | Welcome; apologies for absence | |
| 2. | Adoption of the agenda | |
| 3. | Declarations of interest | |
| 4. | Matters arising from the 30 th plenary meeting on 22 -24 May 2008 | |
| 5. | General information from the EFSA, the Commission and the Chair | |
| 6. | Nutrient sources | |
| .1 | Selenium yeasts | Draft opinion |
| .2 | Aspartate sources | Draft opinion |
| .3 | Lysinates | Draft opinion |
| .4 | Pyridoxal-5'-phosphate | Draft opinion |
| 7. | Additives | |
| .1 | Natamycin | Draft opinion |
| .2 | High viscosity white mineral oils | Draft opinion |
| 8. | Flavourings | |
| .1 | Coumarin | Draft statement |
| .2 | Flavouring group evaluations | |
| | According to Regulation 1565/2000 of 18 July 2000 - Draft opinions. | |
| .2.1 | FGE.38 | 3-Butenyl isothiocyanate. |
| .2.2 | FGE.44 | cis-2-Heptyl-cyclopropanecarboxylic Acid from Chemical Group 30. |
| .2.3 | FGE.48 | Aminoacetophenone from Chemical Group 33. |
| .2.4 | FGE.57 | Consideration of four substances structurally related to pulegone evaluated by JECFA (55 th meeting). |
| .2.5 | FGE.218 | Alpha, beta-Unsaturated aldehydes and precursors from subgroup 4.2 of FGE.19: Furfural derivatives.
<i>To be evaluated in context with Item 8.2.6.</i> |

- | # | Items | |
|------|--|---|
| .2.6 | FGE.66 | Consideration of Furfural Alcohol and Related Flavouring Substances Evaluated by JECFA (55 th meeting). |
| .2.7 | FGE.89 | Consideration of phenyl-substituted aliphatic tertiary alcohols and related aldehydes and esters evaluated by JECFA (63 rd and 68 th meetings). |
| .2.8 | FGE.19 | Future Planning |
| 9. | Food contact materials | |
| 1. | Bisphenol A | |
| 10 | Any other business | |
| 1. | JECFA 69th meeting summary and conclusions - Incorporation of the single portion exposure technique (SPET) | |