



We create chemistry

Metiram

Document D1

Amendment to the AIRIII Dossier

Negligible Exposure Assessment

Compiled by:

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

In the following table are reported the GAP of BAS 222 28 F to be registered in the EU after renewal of approval, as the solo formulation represents the critical GAP (worse case).

Appendix 2: Critical Uses – justification and GAP tables

PPP (product name/code) BAS 22228 F
active substance 1 Metiram

safener
synergist

Applicant: BASF
Zone(s): CEU, SEU

GAP rev. 2.0, date: 2019-04-12
Formulation type: WG
Conc. of as 1: 700 g/kg

Conc. of safener: conc.
Conc. of synergist: conc.

professional use ☒
non professional use ☐

Verified by MS:j/n

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 10 | 11 | 12 | 13 | 14 |
|-------------|--|--|-------------------|---|------------------|--|---|---|--|-------------------------|---------------|---|
| Use- No. | Member state(s) | Crop and/ or situation (crop destination / purpose of crop) | F G or I | Pests or Group of pests controlled (additionally: developmental stages of the pest or pest group) | Application | | | Application rate | | | PHI (days) | Remarks: |
| | | | | | Method / Kind | Timing / Growth stage of crop & season | Max. number (min. interval between applications) a) per use b) per crop/ season | kg, L product / ha a) max. rate per appl. b) max. total rate per crop/season | g, kg as/ha a) max. rate per appl. b) max. total rate per crop/season | Water L/ha min / max | | |
| 1 | CEU (BE, DE, SI, LUX, PL*) SEU (GR-HR- IT) | Asparagus | F | <i>Puccinia asparagi</i> | Spray | 92-96 | a) 3 (7 d) b) 3 | a) 1.2 – 1.8 b) 5.4 | a) 0.84-1.26 b) 4.62 | 100-1500 | n.a. | * minor crop Application once edible part have been harvested |

| | | | | | | | | | | | | |
|---|---|------------------------|---|--|-------|-------|--------------------|------------------|--------------------|-----------|----|---|
| 2 | CEU (DE, AT, CZ, HU, RO, SI, SK, LUX, BE, PL*) | Grape (wine, table) | F | <i>Phomopsis viticola</i> , <i>Pseudopezicula</i> <i>tracheiphila</i> , <i>Guignardia</i> <i>bidwellii</i> | Spray | 05-19 | a) 1-2 (7 d) | a) 1.2 | a) 0.84 | 150 - 300 | 56 | . Do not use in vineyards with a closed horizontal leaf area between rows. * minor crop |
| | SEU (FR, GR, IT, ES, HR, PT, BG) | | | | | | | | | | | |
| 3 | CEU SI, HR, BE, RO, DE, NL, PL* SEU IT | Ornamentals | F | <i>Alternaria spp.</i> , <i>Uromyces spp.</i> , <i>Puccinia</i> <i>spp.</i> , <i>Albugo spp.</i> , <i>Colletotrichum spp.</i> , <i>Peronospora spp.</i> , <i>Plasmopara spp.</i> , <i>Bremia</i> <i>spp.</i> , <i>Erysiphe spp.</i> , <i>Microsphaera spp.</i> , <i>Podosphaera spp.</i> , <i>Sphaerotheca spp.</i> , <i>Diplocarpon rosea</i> | Spray | 51-59 | a) 3 (7 d) b) 3 | a) 2.0 b) 6.0 | a) 1.4 b) 4.2 | 500-1000 | - | * PL as minor crop, no downy and powdery mildew |
| 4 | CEU (DE, AT, CZ, PL SI, RO, SK) S-EU (GR, IT, FR, ES, PT, HR, BG) | Potato | F | <i>Phytophthora infestans</i> , <i>Alternaria spp.</i> | Spray | 21-93 | a) 3 (7 d) b) 3 | a) 1.8 b) 5.4 | a) 1.26 b) 3.78 | 100-1000 | 14 | |