

# ***European Commission***



**Draft Renewal Assessment Report prepared according to the Commission  
Regulation (EU) N° 1107/2009**

<p><b>FLUFENACET</b></p> <p><b>Volume 3 – B.4 (PPP) –</b></p> <p><b>Diflufenican+Flufenacet SC600</b></p> <p><b>(200+400 g/L)</b></p>
---

Rapporteur Member State: Poland  
Co-Rapporteur Member State: France

---

## Version History

When	What
August 1997	Initial assessment. <b>Draft Assessment Report</b> for first inclusion to Annex I. RMS: FR
April 2016	<b>Draft Renewal Assessment Report</b> prepared according to the Commission; Regulation (EU) N° 1107/2009; RMS: PL; Co-RMS: FR

---

## Table of contents

<b>B.4. FURTHER INFORMATION.....</b>	<b>4</b>
<b>B.4.1. SAFETY INTERVALS AND OTHER PRECAUTIONS TO PROTECT HUMANS, ANIMALS AND THE ENVIRONMENT .....</b>	<b>4</b>
<b>B.4.2. RECOMMENDED METHODS AND PRECAUTIONS .....</b>	<b>4</b>
<b>B.4.3. EMERGENCY MEASURES IN CASE OF AN ACCIDENT .....</b>	<b>5</b>
<b>B.4.4. PACKAGING, COMPATIBILITY OF THE PLANT PROTECTION PRODUCT WITH PROPOSED PACKAGING MATERIALS .....</b>	<b>5</b>
<b>B.4.5. PROCEDURES FOR DESTRUCTION OR DECONTAMINATION OF THE PLANT PROTECTION PRODUCT AND ITS PACKAGING.....</b>	<b>5</b>
<b>B.4.5.1. Neutralisation procedure .....</b>	<b>5</b>
<b>B.4.5.2. Controlled incineration.....</b>	<b>5</b>
<b>B.4.6. REFERENCES RELIED ON .....</b>	<b>6</b>

## **B.4. FURTHER INFORMATION**

### **B.4.1. SAFETY INTERVALS AND OTHER PRECAUTIONS TO PROTECT HUMANS, ANIMALS AND THE ENVIRONMENT**

#### **Pre-harvest interval (in days) for each relevant crop:**

DFF+FFA SC 600 is applied to winter cereals at an early growth stage. Therefore the pre-harvest interval is covered by the vegetation period of the crop.

#### **Re-entry period (in days) for livestock, to areas to be grazed:**

It is not relevant to define a re-entry period for livestock after use of DFF+FFA SC 600 on winter cereals, since these crops are not intended to be grazed by livestock.

#### **Re-entry period (in hours or days) for man to crops, buildings or spaces treated:**

DFF+FFA SC 600 is used on cereals at early growth stages, when there is no need to enter crops shortly after spraying. It is therefore not necessary to define particular re-entry times for workers. However, as a general rule, treated fields should not be re-entered until the spray deposit is completely dry.

#### **Withholding period (in days) for animal feeding stuffs:**

The cereal commodities fed to livestock consist of grain and straw harvested at normal maturity. No cereal commodity other than grain and straw is normally fed to livestock. The potential levels of diflufenican and flufenacet residues in these commodities at mature harvest were considered, as appropriate, when deciding on MRLs for diflufenican and flufenacet in food of animal origin. Therefore, it is not necessary to define a withholding period for animal feedingstuffs.

#### **Waiting period (in days) between application and handling of treated products:**

Handling of treated cereals is generally not required before harvest, which is always done mechanically. Furthermore, the residue levels in grain are low. Therefore there is no need to define a waiting period between application and handling treated products. It is covered by the vegetation period of the crop.

#### **Waiting period (in days) between last application and sowing or planting succeeding crops:**

Use of DFF+FFA SC 600 in cereals is not likely to result in significant uptake of diflufenican or flufenacet residues by succeeding crops. It is, therefore, not necessary to set a waiting period between the last application and sowing or planting succeeding crops for the purpose of limiting residue levels in the crops.

#### **Information on specific conditions under which the preparation may or may not be used:**

None of the test results obtained or observations made were such that restrictions should be imposed.

### **B.4.2. RECOMMENDED METHODS AND PRECAUTIONS**

Follow relevant manual handling advice.

Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

Use only in area provided with appropriate exhaust ventilation. Store in original container and keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight.

Store in a place accessible by authorized persons only.

Keep away from food, drink and animal feedingstuffs.

For details please refer to the safety data sheet.

---

**B.4.3. EMERGENCY MEASURES IN CASE OF AN ACCIDENT**

Move out of dangerous area. Remove contaminated clothing immediately and dispose of safely. Place and transport victim in stable position (lying sideways).

Do not allow to get into surface water, drains and ground water.

Use personal protective equipment when handling released material. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

For details please refer to the safety data sheet.

**B.4.4. PACKAGING, COMPATIBILITY OF THE PLANT PROTECTION PRODUCT WITH PROPOSED PACKAGING MATERIALS**

Type: Blow-moulded or co-extruded container

Materials: High density polyethylene (HDPE) or

High Density Polyethylene coextruded (HDPE/EVOH)

Capacity: 1, 3, 5 litres

Opening: 1 litre: KS50 (DIN 6063, 50 mm)

3, 5 litres: ECPA63 (63 mm)

Closure: Injection moulded, polyethylene or polypropylene copolymer, HF seal

**Outer packaging**

Type: Corrugated case (12×1 L, 4×3 L, 4×5L)

Complying with CropLife International recommendation for one way agrochemical packaging design criteria for liquids and solids [Guidelines for the safe formulation and packaging of crop protection products (Guideline 6)].

**B.4.5. PROCEDURES FOR DESTRUCTION OR DECONTAMINATION OF THE PLANT PROTECTION PRODUCT AND ITS PACKAGING**

Spillages should be soaked up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Dispose of contents/container in accordance with local regulation. Not completely emptied packagings should be disposed of as hazardous waste.

Waste key for the unused product: **020108** agrochemical waste containing dangerous substances.

For details please refer to the safety data sheet.

**B.4.5.1. Neutralisation procedure**

The formulation is not an acid or a base.

For details please refer to the safety data sheet

**B.4.5.2. Controlled incineration**

In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

For details please refer to the safety data sheet.

**Literature search:**

Not relevant for this section.

**B.4.6. REFERENCES RELIED ON**

Data Point	Author(s)	Year	Title Compagny Report No. Source (where different from company) GLP or GEP status Published or not	Vertebrate study Y/N	Data protection claimed Y/N	Justification if data protection is claimed	Owner	Previous evaluation
KCP 4.2/01	Anonymous	2014	Firebird SC600 4X3L BOT GB -public data-, Report No.: M- 481757-01-1, Edition Number: M-481757-01-1 Date: 2014-02-03 GLP/GEP: n.a., unpublished	N	N	-	Public data	Submitted for the purpose of renewal