

# Proposed Uses and Exposure Assessment

Jurgen Konig

**Member of the ANS Panel** 

**Stakeholders workshop** 21 September 2012, Brussels

## Proposed uses & Exposure assessment Part III



#### **OBJECTIVE**

Estimate chronic exposure to a food additive, for a particular/proposed use, for different population groups throughout the EU.

#### **Rationale**

Carry out an exposure estimation based on food consumption data

### **General Considerations**



- Aims of exposure assessment:
  - estimate both the average exposure to a food additive and its distribution across the population (i.e. 95<sup>th</sup> percentile exposure) to be compared with tox data (namely ADI, if available)
- New Assessment tool (developed for the applicant)

Food Additives Intake Model (FAIM) – Template

### **Exposure estimation**



#### **Two-scenario approach**

- > Authorisation of a new food additive (Scenario 1)
- Modification of proposed uses or use levels of an authorised food additive (Scenario 2)

#### **New Exposure Assessment tool (FAIM)**

Based on EFSA Comprehensive European Food consumption database

### **Consumption Database**




## **Background: EFSA Comprehensive European Food Consumption Database**

- ➤ Data collected by EFSA (DATEX/DCM) including detailed information for a number of EU countries in refined food categories and specific population groups, also partly covering children.
- To be downloaded from EFSA homepage: <a href="http://www.efsa.europa.eu/en/datexfoodcdb/datexfooddb.htm">http://www.efsa.europa.eu/en/datexfoodcdb/datexfooddb.htm</a> (data is included in the FAIM template, no separate download required)

### **Consumption database**



#### **EFSA Comprehensive European Food Consumption Database**



### **Consumption Data**



**Background:** EFSA Comprehensive European Food Consumption Database

#### **Limits of this database**

- Different methodologies used in different countries (24 h recalls, dietary records, food frequency questionnaires)
- No chronic consumption calculated for surveys using single 24 h recalls
- Sample size too small to calculate 95<sup>th</sup> percentile for some population groups or food categories
- Food categorisation is not completely congruent with EU regulations and directives

### **FAIM Template (1)**



#### **Rationale**

- harmonisation of data submission
- more transparent
- user friendly
- no expertise required

#### **Development of the FAIM template**


➤ Matching of the food categorisation of the EFSA Comprehensive European Food Consumption Database (FoodEx) to the categorisation system of the EU Commission **Regulation 1129/2011** (FCS)

### **FAIM Template (2)**



#### **Development of the FAIM template**

Matching of the food categorisation of the EFSA Comprehensive European Food Consumption Database (FoodEx) to the categorisation system of the EU Commission Regulation 1129/2011 (FCS)



### FAIM Template (3)



#### **Development of the FAIM template**

Matching food categorisation (FoodEx and FCS)

- > Testing on plausibility of matching FoodEx to FCS
- > Testing on robustness of 95<sup>th</sup> percentiles

### **FAIM Template (4)**



#### PRINCIPLES OF EXPOSURE CALCULATIONS (via the template)

**Mean exposure** =

X

**\( \Sigma** [(Mean consumption food category x.y)

(MPL/proposed use level food category x.y)]

**High level exposure =** 

(Consumption at 95th percentile of food category m.n with highest contribution to total mean exposure)

X

(MPL/proposed use level food category m.n)

+

Σ [(Mean consumption food category x.y)

X

(MPL/proposed use level food category x.y)]


(Mean consumption food category m.n)

X

(MPL/proposed use level food category m.n)]

### **FAIM Template (5)**





### FAIM Template (6) - Instructions



Click to return to homepage



Back to homepage

Instructions for use:

Important: Please respect the general rule that only cells highlighted in yellow in the "Concentration values" sheet (columns C and D as well as the name of the substance) should be filled! The other cells contain data, calculation formula or references. If you change the entries, the results might be incorrect.

For a full description of the model and the underlying assumptions please consult the following document:

(add here the link to the general information document on the website)


Please follow the following procedure:

- In the "Concentration values" worksheet, insert in cell B2 the name of the substance/food additive for which the dietary exposure assessment should be performed. If any, please insert also the ADI of the considered additive
- In the case of re-evaluation of an already authorised food additive: in the "Concentration values" worksheet, please insert the MPLs values in the cells ranging C6:C71 for the food categories under consideration (scenario n.1). Please note that values should be expressed in mg/kg or mg/L and that dots are used for decimal numbers.
- In the case of re-evaluation/extension of use of an already authorised food additive or a new application: in the "Concentration values" worksheet, please insert in the cells ranging D6:D71 the reported/proposed levels. Please note that values should be expressed in mg/kg or mg/L and that dots are used for decimal numbers.
  - When in doubt on the correct classification of a food item, please consult the worksheet "food list".
- Once all food categories for which either MPLs, use levels or both are available, are filled, then go to the "Summary per age class & survey" worksheet. Here the results are provided: mean and high level of the exposure estimates, on the basis of both the MPLs and use levels, per survey and age class.
- Once all MPLs and/or use levels are filled for the relevant food categories, it's possible to see the summarised results of the dietary exposure estimates per age class when going to the "Summary per age class" worksheet.
- Go to the "Contrib ≥ 5%" worksheet to see which food categories contribute the most to the total mean

Scroll down to read all instructions


### **FAIM Template (7)**






### **FAIM Template (8)**






### FAIM Template (9)






### **FAIM Template (10)**






### **FAIM Template (11)**





### FAIM Template (12)






Also indicate in your application those food categories contributing more than 5% to the total exposure of the additive.

The categories are automatically highlighted in the template

### **FAIM Template (13)**





## **Exposure data Submission**



Applicants should submit exposure data using the FAIM template following its publication on the EFSA website